

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L70	96	mobile with device with (profile registration) with data	USPAT	OR	OFF	2005/05/11 19:35
L75	21	(mobile wireless) same device same (profile registration) same rule\$1	USPAT	OR	OFF	2005/05/11 19:37
L76	10	(mobile wireless) same device same (profile registration) same (rule\$1 polic\$3) same server	USPAT	OR	OFF	2005/05/11 19:37
L77	367	("5764916" "5835712" "5905486" "6012098" "6125391" "6167441" "6212640" "6226675" "6300947" "6412009" "6473609" "6477565" "6480860" "6535896" "6589291" "6724403" "6473609" "6279121" "6788667" "6594774" "6681245" "6477565" "6615212" "6754660" "6593944" "5905486" "5835712" "6724403" "6300947")	USPAT	OR	OFF	2005/05/11 19:49
L78	72	77 and (profile registration)	USPAT	OR	OFF	2005/05/11 19:49
L79	44	77 and (profile registration) and (mobil wireless pda cellular)	USPAT	OR	OFF	2005/05/11 19:52
L80	14	77 and (profile registration) and (mobil wireless pda cellular) and (access and rule\$1)	USPAT	OR	OFF	2005/05/11 19:57
L81	25	"6300947"	USPAT	OR	OFF	2005/05/11 19:57
L82	21737	709/246 709/221 709/232 709/203 707/10 455/418	US-PGPUB; USPAT	OR	OFF	2005/05/11 21:40
L84	1681	(709/246 709/221 709/232 709/203 707/10 455/418) and (profile registration) and (mobil wireless pda cellular)	US-PGPUB; USPAT	OR	OFF	2005/05/11 21:41
L85	131	(709/246 709/221 709/232 709/203 707/10 455/418) and (profile registration) and (mobil wireless pda cellular) and rule\$1 near4 (access interaction display adapt\$5)	US-PGPUB; USPAT	OR	OFF	2005/05/11 21:42
L86	84	(709/246 709/221 709/232 709/203 707/10 455/418) and (profile registration) and (mobil wireless pda cellular) and rule\$1 near4 (access interaction display adapt\$5)	USPAT	OR	OFF	2005/05/11 21:42
S1	148	(transcod\$3).ti.	USPAT	OR	OFF	2004/11/29 14:33

S2	16	("5764916" "5835712" "5905486" "6012098" "6125391" "6167441" "6212640" "6226675" "6300947" "6412009" "6473609" "6477565" "6480860" "6535896" "6589291" "6724403").PN.	USPAT	OR	OFF	2005/05/11 19:45
S3	164	S1 S2	USPAT	OR	OFF	2004/11/23 22:59
S4	14	S3 and xml and wireless	USPAT	OR	OFF	2004/11/23 23:04
S5	0	S3 and xml and wireless and graphical and (state with machine)	USPAT	OR	OFF	2004/11/23 23:01
S6	2	S3 and(state with machine)	USPAT	OR	OFF	2004/11/23 23:01
S7	2	S3 and (state with machine)	USPAT	OR	OFF	2004/11/23 23:01
S8	8	S3 and xml and wireless and state\$1	USPAT	OR	OFF	2004/11/23 23:05
S9	1	S3 and xml and wireless and state\$1 and bean\$1	USPAT	OR	OFF	2004/11/23 23:05
S10	4	S3 and xml and wireless and state\$1 and java	USPAT	OR	OFF	2004/11/23 23:05
S11	132	(state near machine) and bean\$1	USPAT	OR	OFF	2004/11/29 14:34
S12	17	(state near machine) and bean\$1 and wireless	USPAT	OR	OFF	2004/11/29 14:35
S13	6	(state near machine) and (java near bean\$1) and wireless	USPAT	OR	OFF	2004/11/29 14:38
S14	616	((java adj bean\$1) java\$bean\$1)	USPAT	OR	OFF	2004/11/30 20:18
S15	2325	((java adj bean\$1) java\$bean\$1)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/11/29 18:32
S16	118	S15 and (state near machine)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/11/29 14:45
S17	4	S15 and (state near machine) and prompt and list and button and radio	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/11/29 14:53
S18	1	S15 and (state near machine) and prompt and list and button and radio and wireless	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/11/29 14:49
S19	24	((event near driven) (state near machine)) and prompt and list and button and radio and (bean\$1)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/11/29 14:53
S20	23	((java adj bean\$1) java\$bean\$1) and button\$1 and (list\$of\$value\$1 list near2 value\$1) and prompt and attribute\$1	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/11/29 16:43

S21	1	((java adj bean\$1) java\$bean\$1) and button\$1 and (list\$of\$value\$1 list near2 value\$1) and prompt and attribute\$1 and state near machine	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/11/29 16:43
S22	57	(state adj machine) with librar\$5	USPAT	OR	OFF	2004/11/29 16:45
S23	0	(state adj machine) with librar\$5 and mobile	USPAT	OR	OFF	2004/11/29 16:45
S24	3	(state adj machine) with librar\$5 and wireless	USPAT	OR	OFF	2004/11/29 18:17
S25	383	"6012098" "6125391" "617441" "6212640" "6226675" "6533896" "6589291" "6463440" "5764916" "6412009" "6480860" "6247048" "6300947" "6421733" "6430624" "6615212" "6741853" "5799286" "5805885" "5918232" "6003036"	USPAT	OR	OFF	2004/11/29 18:22
S26	274	S25 and @ad<="20000505"	USPAT	OR	OFF	2004/11/29 18:22
S27	417	"6012098" "6125391" "617441" "6212640" "6226675" "6533896" "6589291" "6463440" "5764916" "6412009" "6480860" "6247048" "6300947" "6421733" "6430624" "6615212" "6741853" "5799286" "5805885" "5918232" "6003036"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/11/29 18:22
S28	274	S27 and @ad<="20000505"	USPAT	OR	OFF	2004/11/29 18:22
S29	0	S28 and java near bean\$1 and (state near machine)	USPAT	OR	OFF	2004/11/29 18:23
S30	10	S28 and java near bean\$1	USPAT	OR	OFF	2004/11/29 18:24
S31	0	S30 and ((state near machine) (event near driven))	USPAT	OR	OFF	2004/11/29 18:24
S32	7	S28 and java near bean\$1 and state	USPAT	OR	OFF	2004/11/29 18:24
S33	0	S28 and java near bean\$1 and state and button and list and menu	USPAT	OR	OFF	2004/11/29 18:24
S34	2	S28 and java near bean\$1 and state and wireless	USPAT	OR	OFF	2004/11/29 18:26
S35	6	((state near machine)with Message\$1) and (mobile wireless) and transco\$3 and @ad<="20000505"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/11/29 18:29
S36	6	((state near machine) with Message\$1) and (mobile wireless) and transco\$3 and @ad<="20000505"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/11/29 18:27

S37	54	((state near2 machine) (event near2 driven) with Message\$1) and (mobile wireless) and transco\$3 and @ad<="20000505"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/11/29 18:30
S38	1	((state near2 machine) (event near2 driven) with Message\$1) and (mobile wireless) and transco\$3 and @ad<="20000505" and xml	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/11/29 18:33
S39	475	((java adj bean\$1) java\$bean\$1) and @ad<="20000505"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/11/29 18:33
S40	28	((java adj bean\$1) java\$bean\$1) and @ad<="20000505" and (state near2 machine)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/11/29 18:34
S41	8	((java adj bean\$1) java\$bean\$1) and @ad<="20000505" and (state near2 machine) and (mobile and wireless)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/11/29 19:53
S42	10	"6119129"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/11/30 12:09
S43	25	state adj machine with event with invoc\$3	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/11/30 15:02
S44	0	(state adj machine with event with invoc\$3)and java near bean\$1	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/11/30 13:07
S45	5	(state adj machine with event with invoc\$3)and java	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/11/30 13:07
S47	8	"6473609"	USPAT	OR	OFF	2004/11/30 19:02
S48	2	((java adj bean\$1) java\$bean\$1) and lov and attribute\$1 and list and class	USPAT	OR	OFF	2004/11/30 20:44
S49	9	((java adj bean\$1) java\$bean\$1) and lov and attribute\$1 and list and class and behavior	US-PGPUB; USPAT	OR	OFF	2004/11/30 20:45
S50	9	((java adj bean\$1) java\$bean\$1) and lov and attribute\$1 and list and class and behavior and state and event and method and attribute	US-PGPUB; USPAT	OR	OFF	2004/11/30 20:46
S51	0	((java adj bean\$1) java\$bean\$1) and lov and attribute\$1 and list and class and behavior and state and event and method and attribute and (state near machine)	US-PGPUB; USPAT	OR	OFF	2004/11/30 20:46

S52	24845	709/202 709/203 707/10 707/104. 1 705/50 716/1 455/414 701/13	US-PGPUB; USPAT	OR	OFF	2005/05/11 21:38
S53	2	S52 and (state adj machine with event with invoc\$3)	US-PGPUB; USPAT	OR	OFF	2004/11/30 21:25
S54	0	((java adj bean\$1) java\$bean\$1) and @ad<="20000505" same (mobile wireless pda)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/01 12:52
S55	0	((java adj bean\$1) java\$bean\$1) and @ad<="20000505" same (proxy gateway)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/01 12:52
S56	23	((java adj bean\$1) java\$bean\$1) same (mobile wireless pda)	USPAT; IBM_TDB	OR	OFF	2004/12/01 15:10
S57	23	((java adj bean\$1) java\$bean\$1 javabean\$1) same (mobile wireless pda)	USPAT; IBM_TDB	OR	OFF	2004/12/01 15:38
S58	119	((java adj bean\$1) java\$bean\$1 javabean\$1) same (mobile wireless pda)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/01 15:11
S59	15	S58 and @ad<="20000505"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2004/12/01 15:11
S60	87	((java adj bean\$1) java\$bean\$1 javabean\$1) with method	USPAT; IBM_TDB	OR	OFF	2004/12/01 15:39
S61	79	((java adj bean\$1) java\$bean\$1 javabean\$1) with method and bean\$1	USPAT; IBM_TDB	OR	OFF	2004/12/01 15:40
S62	8	((java adj bean\$1) java\$bean\$1 javabean\$1) with method and bean\$1 and pda	USPAT; IBM_TDB	OR	OFF	2004/12/01 17:25
S63	0	((java adj bean\$1) java\$bean\$1 javabean\$1) with method and bean\$1 and pda and beahvior and inherrit	USPAT; IBM_TDB	OR	OFF	2004/12/01 15:40
S64	0	((java adj bean\$1) java\$bean\$1 javabean\$1) with method and bean\$1 and pda and beahvior and button\$1	USPAT; IBM_TDB	OR	OFF	2004/12/01 15:40
S65	0	"59996086"	USPAT; IBM_TDB	OR	OFF	2004/12/01 17:26